

Neuro-dermitis - regulate the immune system

Neuro-dermitis is not only a skin disease. Redness and itching are much more an expression of a complex process, in the centre of which we find the immune system. With people suffering from neuro-dermitis, quite a lot of things have obviously gone out of balance. This begins with the unbalance of the T-helper cells, passes via the lack or excess of production of cell messenger matter right down to the spill of allergically induced immunoglobulines with the matching effects on the skin. It is logical that all of this can only get better if you intervene here - in the immune system. This is done quite simply with Neythymun® oral, which contains thymus components to regulate the immune system. Examinations have shown that Neythymun® amongst other things raises the Interferon titre and thus lowers increased IgE levels by up to 50 %.

Neythymun® oral can be dosed individually to requirements. This is quite practical as babies and small children can already be neuro-dermitis patients



before the treatment with Neythymun®



after the treatment with Neythymun®

Dosage scheme

Neythymun® oral for neuro-dermitis

Children up to the age of 1 3 drops twice a day

Children up to the age of 7 7 drops twice a day

older children 10 - 15 drops twice a day

Very important: always sub-lingually!

For itching, the cosmetic Neyskin® GAMMA PLUS provides soothing.

Would you like more information about studies etc.?

Order our brochure "Neuro-dermitis - effective help with Neythymun® oral".

Would you like to order it?

[Please click here](#)

Modified own-blood treatment is purposeful help in allergies

For allergies and diseases (also) induced by allergies such as hay fever, neuro-dermitis, asthma, bronchial and food incompatibility, there is a remedy. With the counter-sensitisation according to Theurer (Allergostop® I) the specific antibodies making each allergy-sufferer sick can be detected and neutralised purposefully. The important thing is to take the blood during an acute allergy attack, in order to detect as many allergy-induced antibodies as possible. With a special method, they are then altered in such a way that they are recognised by the body's own immune system after the re-injection as being foreign. This is specifically aimed at the pathological antibodies, deactivates them and ensures that no new ones are

formed - an allergic reaction is prevented. The section on Services/Laboratories will tell you more about this.

Auto-aggressive diseases on the advance

The counter-sensitisation (Allergostop® I) is a decisively important factor of a basic therapy for inflammatory, chronic and rheumatic diseases. In these and also many other diseases nowadays, an auto-immune component is recognised. Through the auto-immune process, the damage to the tissue continues even if the triggering agent is no longer effective. Antibodies and the complementary system are involved in the immunological destruction process. Here, there is additional intervention by the hydrolysate (Allergostop® II). The antibodies are isolated from the patient's serum and enzymatically split into the Fab and Fc fragments. In an intact antibody, the Fc part activates the immunological complementary system. By separating the Fc fragments, the activation of the complementary system is prevented. The Fab fragments occupy the antigen-forming parts after injection and block the pathogenic immune process by competitive inhibition. The complexes resulting are metabolised without further damage to the tissue. Both forms of treatment (Allergostop® I und II) can be done independent of one another, although both methods are recommended as a matter of principle for auto-immune diseases.

[back](#)